

FIG. 1A




FIG. 1B




FIG. 2

700	K Policy Generator			
/ Ing	File Help]
	Community Policy Domains	ains Rules Service	/ice	
	Name	Includes	Excludes	Description
	Inside_Nodes	10.0.0.0/8		The Hosts in out Intranet
	Outside_Nodes		Inside_Nodes	All hosts in the Intranet
	AND THE PROPERTY OF THE PROPER			
	12.14			
		New	X Delete	Find Uses

FIG.3

K Policy	Process	or	×
Output 1	Director		Browse
Output I	File	null.spm	402
		Process Policy 401	
		Close	

FIG. 4A

K Policy Processor	×
Output Director C:\	rowse
Output File null.spm	
Process Policy	
Loading input file C:\null.spw C:\null.spw loaded Generating policy into file C:\null.spm warning: IP mask '10.0.0.0/8' cannot be used to define a directed warning: no explicit rules have been defined for policy domain 'I	
****** Found 0 error(s)	
Success	D▽
Close	
	-403

FIG. 4B

BUDGETTY CONTROL

FIG. 5




FIG. 6

K Database Co	onnectX
User Name:	policy
Password:	
DB Server Type:	Sybase ▽
	Policy
DB Server:	localhost
	Connect Cancel

FIG. 7

K Rule View					×
Execution Run: [1999-10-01	1999-10-01 14:30:20.0 C:\.bmp	du			▷
Final Rule Name:					▷
Disposition Name: <any disposition=""></any>	ition>				D
Disposition Codes: □Access Denied □Auth Violation□Security Allock□Security QOS □Policy Error □OK	h Violation 🗀 Security Att	ack Security 00	S - Policy Erro	ı. □0K	
Disposition Severity:□Critical □High	h Medium	Monitor	□Monitor □Warning	☐Information ☐ <none></none>	one>
	Query				
Rows	Edit SQL Co	Copy Row Copy Deep	oy Deep		

FIG. 8

K Rule View						×
Execution Run:		999-10-01 14:3	1999-10-01 14:30:20.0 C:\.bmp			Δ
Final Rule Name:		<any rule=""></any>				Δ
Disposition Name:		<any disposition=""></any>	<u></u>			Δ
Disposition Cod	Disposition Codes:□Access Denied□Auth Violation□Securiy Attack□Securiy 00S□Policy Error□OK	Auth Violation	☐Security Attock [Security QOS	Policy Error 00K	
Disposition Severity: □ Critical		□ High	☐ Medium	□ Wonitor □	□Warning □Infor	□Information □ <none></none>
			Query			
Rule Name	Disposition Name Initiator IP	Initiator IP	Init Name	Target IP	Targ Name	Targ Service
Udp_Deny	Udp_Access_Denied	10.5.63.143	vg-143.securify.com	10.5.63.6	dude.securify.com	domain
Http_Deny	Http_Access_Denied	10.5.63.143	vg-143.securify.com	208.178.27.198		http
Http_Deny	Http_Access_Denied	10.5.63.143	vg-143.securify.com	208.178.27.201	A PART OF THE PART	http
Http_Deny	Http_Access_Denied	10.5.63.143	vg-143.securify.com	208.178.27.198		http
Udp_Deny	Udp_Access_Denied	10.5.63.143	vg-143.securify.com	10.5.63.6	dude securify.com	domain
Udp_Deny	Udp_Access_Denied	10.5.63.143	vg-143.securify.com	10.5.63.6	dude.securify.com	domain
Http_Deny	Http_Access_Denied	10.5.63.143	vg-143.securify.com	204.71.200.68	www3.yahoo.com	http
Udp_Deny	Udp_Access_Denied	10.5.63.143	vg-143.securify.com	10.5.63.6	dude.securify.com	domoin
Http_Deny	Http_Access_Denied	10.5.63.143	vg-143.securify.com	10.5.63.97	kabale.securify.com	http
Tcp_Missed_Connections	Warn_Missed_Tcp_Connect	10.5.63.143	vg-143.securify.com	10.5.63.24	fred.securify.com	netbios-ssn
▽						Δ
Rows 10		Done	Edit SOL Copy	Copy Row Copy Deep	Jeep	
		41				

 $FIG. \mathfrak{S}$

Rules Service
Policy Domain: Intranet
-Identify New or Existing Rule in Intranet-
Rule Name: Internal_Dns
Add Elements to Internal_Dns——— Description:
Services:
AUTH BOOTP_CLIENT BOOTP_SERVER DNS
Rule Contents for Internet* Dns
Services:
<any></any>

IG. 10A

	X
File Help	
Community Policy Domains Rules Service	
-Select Policy Domain Policy Domain: Intranet \(\textstyle \)	
-Identify New or Existing Rule in Intranet	
Rule Name: [Internal_Dns 🔻 🗀 New	X Delete
Add Elements to Internal_Dns————————————————————————————————————	
Allow DNS to be served from any internal host	Set
Initiators: Services:	Targets:
=== Intranet === AUTH Inside_Nodes BOOTP_CLIENT BOOTP_SERVER Outside_Nodes FINGER	Institutionet === [Institution to the control of th
Add Selected Add Selected	Add Selected
ents for Internet*	-
Intidiors: Services: Inside_Nodes DNS DN	argets: Inside_Nodes
Add Selected Add Selected	Add Selected

IG. 10B

K Policy Generator			× L
File Help			11
Community Policy Domains	Rules	Service	
Name	Includes	Excludes	Description
Inside_Nodes	10.0.0.0/8		The Hosts in out Intranet
Outside_Nodes		Inside_Nodes	All hosts in the Intranet
	□ New	X Delete	Find Uses

FIG. 10C




FIG. 11




FIG. 12




FIG. 13





FIG. 14



OF NETWORK EVENTS IN ENCODED FORMAT SERIALIZED STREAM 115 -6100 L-6200 PROTOCOL ENGINE FIG. 16 OUTPUT SECTION MONITOR NETWORK 127 r 125 or 126 PACKET DATA




FIG. 17




FIG. 18





FIG. 19








FIG. 21





Be Edd. Yen figurities Tools Hap	
Links #] Alkalvista - Welcome #] CUNL.com #] Customae Links #] Fine Hotma	
المعجمة الم	
profile log out help	
11.7 Gr. N. C. Hication Service	
Http_Serviers_Response / Unouthorized Access_To_Un ACCESS_VIOLATION / CRITICAL	FIG
Select Protocol - Action Protocol IP - ASSOCIATION	
212 2	
dr 0003326D83C00000	
HTTP-RESPONSE IPProtid 6	
TCP-CLOSE	
© 2000 Securify, Inc. All Rights Reserved. Copyright info	
[2] Invacoration short-detains (Procood); short Procood]; this procood; this become the because	

COMPANIE STREET

SOCIETA SOCIALIS

2 SVS - Alerts - Mitrosoft Internet Evalorer		CITY TO THE PROPERTY OF THE PR
Die Edit Wew Parontes Tools Unio		
下日の · · · · · · · · · · · · · · · · · · ·	[F. 27] · (A) · (a)	
Agbress (@) C U.		92
Transfer Actification.	DIE Service Lessmooth From History server time: 12 21.00 15:33 P81	
·夏·	Alort History	
HILD Unauthorized 08 2 Sparges (Arcess To 12/2 12/2	. Unauthorized 10, 29 499M jonned access 1ACCESS 1ACCES 1ACCES 1ACCESS 1ACCESS 1ACCES	00 59 49PM WWW2 XXX COM/DW/Orm phred 200 PDSMT0R.
Salact All Rasel Update Cleared	46.	
© 2000 Security	8, 2000 Security, Inc. All Rughs Reserved Copyright wife	
(A)		
C.C.		- Company (A)

FIG. 28




FIG. 29





FIG. 30



SOUNTEN TOUR TOR

FIG. 31